



INDUSTRIAL BALL VALVES

CONSTRUCTION

- CA360 Brass
- CA377 Brass



APPLICATIONS

- Fuel Tank Shut-Off
- Coolant Stop
- Diverter Valves
- Hydraulic or Pneumatic



RANGES

- Pressure, Varies Per Valve Configuration & Flow Pattern
- Temperature Range -40° to 300° F



FEATURES/BENEFITS

- Forged Brass Body
- Double O-Ring Stem Seal
- Stem Seal Never Needs Tightening
- Tested at 20,000 Leak Free Cycles
- Blow Out Proof Stem Design

NOTES

- Parts that include "PBF" are supplied as low lead compliant.
- Part numbers without the "PBF" distinction are NOT lead free compliant.
- Non-stock items and special parts are available on a quotation basis.
- Configurations and dimensions are subject to change without notice.



WARNING: Products offered by Robo-Fit can expose you to chemicals such as lead, a chemical which is known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information go to www.P65Warnings.ca.gov




Double o-ring protection provides over 20,000 cycles without leakage!

The exclusive stem seal design that never needs tightening!

160BV MALE TO FEMALE BALL VALVE

PART NUMBER	MPT x FPT	CV
160BV-L	1/4"	8.0
160BV-N	3/8"	9.8
160BV-P	1/2"	9.8
160BV-R	3/4"	25
160BV-S	1"	35



Pressure Rating:

600 P.S.I. WOG

150 P.S.I. Saturated Steam On-Off Service

120BV 3-WAY FEMALE BALL VALVE

PART NUMBER	FPT	CV
120BV-L	1/4"	5.2
120BV-N	3/8"	5.5
120BV-P	1/2"	5.5



Pressure Rating:

Bottom Port as Inlet: 500 P.S.I.

Side Port as Inlet: 100 P.S.I.

162BV FEMALE BALL VALVE

PART NUMBER	FPT	CV
162BV-L	1/4"	8.0
162BV-N	3/8"	9.8
162BV-P	1/2"	9.8
162BV-R	3/4"	25
162BV-S	1"	35



Pressure Rating:

600 P.S.I. WOG

150 P.S.I. Saturated Steam On-Off Service

190BV 2-WAY 90° BALL VALVE

PART NUMBER	FPT	MPT	CV
190BV-L	1/4"	1/4"	5.2
190BV-N	3/8"	3/8"	5.5
190BV-P	1/2"	1/2"	5.5



Pressure Rating:

Bottom Port as Inlet: 600 P.S.I.

Side Port as Inlet: 100 P.S.I.

162BV-E ECONOMY FEMALE BALL VALVE

PART NUMBER	FPT	FPT	WOG
162BV-L-E	1/4"	1/4"	600
162BV-N-E	3/8"	3/8"	600
162BV-P-E	1/2"	1/2"	600
162BV-R-E	3/4"	3/4"	600



Pressure Rating:


600 P.S.I. WOG

150 P.S.I. Saturated Steam On-Off Service

Handle Color Variations Available
Upon Request, Yellow is Standard


180BV FEMALE 3-WAY SIDE MOUNTED BALL VALVE

PART NUMBER	FPT	FPT	FPT	WOG
180BV-L-E	1/4"	1/4"	1/4"	400



Pressure Rating:

400 P.S.I. WOG (All Ports)



Forged & Compact
Smooth Handle Operation
Road Ready Reliable

⚠ WARNING: Products offered by Robo-Fit can expose you to chemicals such as lead, a chemical which is known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information go to www.P65Warnings.ca.gov